

Package: gallery (via r-universe)

February 24, 2025

Type Package

Title Generate test matrices

Version 1.0.0

Maintainer Thomas Hsiao <thomas.hsiao@emory.edu>

Description Functions for generating various test matrices. Inspired by the MATLAB gallery of test matrices.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

RoxygenNote 7.2.3

Imports Matrix, pracma (>= 2.2.5)

Suggests testthat (>= 2.1.0), knitr, rmarkdown

VignetteBuilder knitr

Repository <https://txiao95.r-universe.dev>

RemoteUrl <https://github.com/txiao95/gallery>

RemoteRef HEAD

RemoteSha 53810f63de702b30920ce920b98e48c792bfe7b9

Contents

binomial_matrix	2
cauchy_matrix	2
chebspec	3
chebvand	3
chow	4
circul	4
clement	5
compar	5
cycol	6
dorr	6
dramadah	7

fiedler	7
forsythe	8
frank	8
gcar	9
hanowa	9
invol	10
jordbloc	10
lauchli	10
lehmer	11
leslie	11
minij	12
spdiags	12
tridiag	13

Index 14

binomial_matrix	<i>Create binomial matrix</i>
-----------------	-------------------------------

Description

Binomial matrix: an N-by-N multiple of an involutory matrix with integer entries such that $A^2 = 2^{(N-1)} I_N$. Thus $B = A * 2^{((1-N)/2)}$ is involutory, that is $B^2 = EYE(N)$

Usage

binomial_matrix(n)

Arguments

n - row dimension

cauchy_matrix	<i>Create Cauchy matrix</i>
---------------	-----------------------------

Description

Arguments x and y are vectors of length n. $C[i, j] = 1 / (x[i] + y[j])$

Usage

cauchy_matrix(x, y = NULL)

Arguments

x vector of length n
y vector of length n

chebspec	<i>Create Chebyshev spectral differentiation matrix</i>
----------	---

Description

Chebyshev spectral differentiation matrix of order n . k determines the character of the output matrix. For either form, the eigenvector matrix is ill-conditioned.

Usage

```
chebspec(n, k = NULL)
```

Arguments

n	order of the matrix.
k	$k=0$ is the default, no boundary conditions. The matrix is similar to a Jordan block of size n with eigenvalue 0. If $k=1$, the matrix is nonsingular and well-conditioned, and its eigenvalues have negative real parts.

chebvand	<i>Creating Vandermonde-like matrix for the Chebyshev polynomials</i>
----------	---

Description

Produces the (primal) Chebyshev Vandermonde matrix based on the points p . $C[i, j] = T_{i-1}(p[j])$, where T_{i-1} is the Chebyshev polynomial of degree $i-1$.

Usage

```
chebvand(p, m = NULL)
```

Arguments

p	points to evaluate. If a scalar, then p equally spaced points on $[0, 1]$ are used.
m	number of rows of the matrix. <code>chebvand(p, m)</code> is the rectangular version of <code>chebvand(p)</code> with m rows.

`chow`*Creating singular Toeplitz lower Hessenberg matrix*

Description

returns matrix $A = H(\alpha) + \delta * \text{EYE}$, such that $H[i, j] = \alpha^{(i-j+1)}$.

Usage

```
chow(n, alpha = 1, delta = 0)
```

Arguments

<code>n</code>	order of the matrix
<code>alpha</code>	defaults to 1
<code>delta</code>	defaults to 0

`circul`*Create circulant matrix*

Description

Each row is obtained from the previous by cyclically permuting the entries one step forward. A special Toeplitz matrix in which diagonals "wrap around"

Usage

```
circul(v)
```

Arguments

<code>v</code>	first row of the matrix. If <code>v</code> is a scalar, then $C = \text{circul}(1:v)$
----------------	---

Value

a circulant matrix whose first row is the vector `v`

clement	<i>Create Clement tridiagonal matrix with zero diagonal entries</i>
---------	---

Description

Returns an n-by-n tridiagonal matrix with zeros on the main diagonal. For $k=0$, A is nonsymmetric. For $k=1$, A is symmetric

Usage

```
clement(n, k = 0)
```

Arguments

n	order of matrix
k	0 indicates symmetric matrix, 1 asymmetric

compar	<i>Create comparison matrix A</i>
--------	-----------------------------------

Description

For $k=0$, if $i=j$, $A[i,j]=abs(B[i,j])$ and $A[i, j]=-abs(B[i, j])$ otherwise. For $k=1$, A replaces each diagonal element of B with its absolute value, and replaces each off-diagonal with the negative of the largest absolute value off-diagonal in the same row.

Usage

```
compar(B, k = 0)
```

Arguments

B	input matrix
k	decides what matrix to return

cycol	<i>Create matrix A whose columns repeat cyclically</i>
-------	--

Description

Returns an n-by-n matrix with cyclically repeating columns where one cycle consists of the columns defined by `randn(n,k)`. Thus, the rank of matrix A cannot exceed k, and k must be scalar.

Usage

```
cycol(n, k, m = NULL)
```

Arguments

n	number of columns of matrix
k	upper limit of rank
m	number of rows of matrix

dorr	<i>Create Dorr matrix</i>
------	---------------------------

Description

Returns a n-by-n row diagonally dominant, tridiagonal matrix that is ill-conditioned for small non-negative values of theta. The default value of theta is 0.01.

Usage

```
dorr(n, theta = 0.01)
```

Arguments

n	order of matrix
theta	determines conditionality. Ill-conditioned when theta is nonnegative.

dramadah

Create anti-Hadamard matrix A

Description

Returns a n-by-n nonsingular matrix of 0's and 1's. With large determinant or inverse. If k=1, A is Toeplitz and $\text{abs}(\det(A))=1$. If k=2, A is upper triangular and Toeplitz. If k=3, A has maximal determinant among (0,1) lower Hessenberg matrices. Also is Toeplitz.

Also known as an anti-Hadamard matrix.

Usage

```
dramadah(n, k = 1)
```

Arguments

n	order of matrix
k	decides type of matrix returned.

fiedler

Create Fiedler matrix

Description

Fiedler matrix that has a dominant positive eigenvalue and all others are negative

Usage

```
fiedler(c)
```

Arguments

c	N-vector. If c is a scalar, then returns fiedler(1:c)
---	---

Value

a symmetric dense matrix A with a dominant positive eigenvalue and all others are negative.

forsythe	<i>Create Forsythe matrix or perturbed Jordan block</i>
----------	---

Description

Returns a n-by-n matrix equal to the Jordan block with eigenvalue lambda, except that $A[n, 1]=\alpha$.

Usage

```
forsythe(n, alpha = .Machine$double.eps, lambda = 0)
```

Arguments

n	order of matrix
alpha	value of perturbation at $A[n, 1]$
lambda	eigenvalue of Jordan block

frank	<i>Frank matrix of order N</i>
-------	--------------------------------

Description

Frank matrix of order N. It is upper Hessenberg with determinant 1.

Usage

```
frank(n, k = 0)
```

Arguments

n	order of the matrix
k	If k is 1, the elements are reflected about the anti-diagonal.

`grcar`*Create Toeplitz matrix with sensitive eigenvalues*

Description

Eigenvalues are sensitive.

Usage

```
grcar(n, k = NULL)
```

Arguments

n	dimension of the square matrix
k	number of superdiagonals of ones

Value

n-by-n Toeplitz matrix with -1 on subdiagonal, 1 on diagonal, and k superdiagonals of 1s.

`hanowa`*Hanowa matrix*

Description

Matrix whose eigenvalues lie on vertical plane in complex plane. Returns a 2-by-2 block matrix with four n/2 by n/2 blocks. n must be an even integer.

```
[d*eye(m) -diag(1:m), diag(1:m) d*eye(m)]
```

Usage

```
hanowa(n, d = NULL)
```

Arguments

n	order of matrix
d	value of main diagonal

invol	<i>Involutory matrix</i>
-------	--------------------------

Description

a n-by-n involutory matrix and ill-conditioned. It is a diagonally scaled version of a Hilbert matrix.

Usage

```
invol(n)
```

Arguments

n	order of matrix
---	-----------------

jordbloc	<i>Create Jordan block matrix</i>
----------	-----------------------------------

Description

Returns a n-by-n JOrdan block with eigenvalue lambda. The default is 1.

Usage

```
jordbloc(n, lambda = 1)
```

Arguments

n	order of matrix
lambda	eigenvalue of Jordan block

lauchli	<i>Create Lauchli Matrix</i>
---------	------------------------------

Description

the $(N + 1) \times (N)$ matrix `[ones(1,n); mu*eye(n)]`. Well-known example in least squares of the danger of forming $t(A)$

Usage

```
lauchli(n, mu = NULL, sparse = F)
```

Arguments

n	number of columns
mu	constant applied to identity
sparse	whether matrix should be sparse

Value

Lauchli matrix.

lehmer	<i>Create Lehmer matrix</i>
--------	-----------------------------

Description

the symmetric positive-definite matrix such that $A[i,j] = i/j$, for $j \geq i$

Usage

lehmer(n)

Arguments

n	order of matrix
---	-----------------

leslie	<i>Create Leslie population model matrix</i>
--------	--

Description

N by N matrix from Leslie population model with average birth and survival rates.

Usage

leslie(a, b = NULL, sparse = F)

Arguments

a	average birth numbers (first row)
b	survival rates (subdiagonal)
sparse	whether to return a sparse matrix

Value

N by N Leslie population model matrix

minij	<i>Symmetric positive definite matrix MIN(i, j)</i>
-------	---

Description

The N-by-N SPD matrix with $A[i, j]=\min(i, j)$

Usage

minij(n)

Arguments

n	order of the matrix
---	---------------------

spdiags	<i>Create sparse diagonal matrix</i>
---------	--------------------------------------

Description

Creates a sparse representation of multiple diagonal matrix

Usage

spdiags(A, d, m, n)

Arguments

A	matrix where columns correspond to the desired diagonals
d	indices of the diagonals to be filled in. 0 is main diagonal. -1 is first subdiagonal and +1 is first superdiagonal.
m	row dim
n	col dim

Value

dgcMatrix sparse diagonal

tridiag	<i>Create sparse tridiagonal matrix</i>
---------	---

Description

Create a sparse tridiagonal matrix of dgcMatrix class.

Usage

```
tridiag(n, x = NULL, y = NULL, z = NULL)
```

Arguments

n	dimension of the square matrix
x	subdiagonal (-1)
y	diagonal (0)
z	superdiagonal (+1)

Value

Sparse tridiagonal matrix

Index

binomial_matrix, 2

cauchy_matrix, 2

chebspec, 3

chebvand, 3

chow, 4

circul, 4

clement, 5

compar, 5

cycol, 6

dorr, 6

dramadah, 7

fiedler, 7

forsythe, 8

frank, 8

grcar, 9

hanowa, 9

invol, 10

jordbloc, 10

lauchli, 10

lehmer, 11

leslie, 11

minij, 12

spdiags, 12

tridiag, 13